

Búsqueda de ayuda en pacientes argentinos con crisis disociativas.

Wolfzun, Camila.

Cita:

Wolfzun, Camila (2022). *Búsqueda de ayuda en pacientes argentinos con crisis disociativas. XIV Congreso Internacional de Investigación y Práctica Profesional en Psicología. XXIX Jornadas de Investigación. XVIII Encuentro de Investigadores en Psicología del MERCOSUR. IV Encuentro de Investigación de Terapia Ocupacional. IV Encuentro de Musicoterapia. Facultad de Psicología - Universidad de Buenos Aires, Buenos Aires.*

Dirección estable: <https://www.aacademica.org/000-084/714>

ARK: <https://n2t.net/ark:/13683/eoq6/3rc>

BÚSQUEDA DE AYUDA EN PACIENTES ARGENTINOS CON CRISIS DISOCIATIVAS

Wolfzun, Camila

CONICET - Universidad de Buenos Aires. Facultad de Psicología. Buenos Aires, Argentina.

RESUMEN

El objetivo de este estudio es estudiar la búsqueda de ayuda y el itinerario terapéutico de pacientes con crisis disociativas (CD). Las CD son episodios paroxísticos de alteración de la conciencia que parecen una crisis epiléptica o síncope, pero no están explicadas por una alteración orgánica, sino por mecanismos psicológicos. En este trabajo se tomó la McGill Illness Narrative Interview, una entrevista semiestructurada, en el contexto de un hospital público en Buenos Aires, Argentina. Para su posterior análisis, se realizó un análisis cualitativo a partir de los lineamientos del análisis temático. Se incluyeron a 5 participantes. Se encontró que las pacientes tuvieron un recorrido por el sistema de salud extenso, caracterizado por la utilización de distintos tipos de terapéuticas: biomedicina, medicina tradicional, medicina religiosa y autotratamiento. No se identificaron prácticas de medicina alternativa. La búsqueda de ayuda representa un largo proceso, con características comunes a pacientes de otras partes del mundo, pero también con diferencias, dadas por las características locales del sistema de salud y del sistema de creencias de las participantes.

Palabras clave

Crisis disociativas - CNEP - Búsqueda de ayuda - Itinerario terapéutico

ABSTRACT

HELP-SEEKING BEHAVIOR IN ARGENTINIAN PATIENTS WITH DISSOCIATIVE SEIZURES

The objective of this study is to assess the help-seeking behavior of people with dissociative seizures (DS) in Buenos Aires, Argentina. DS are paroxysmal episodes of altered consciousness that resemble an epileptic seizure or syncope, but are not explained by an organic alteration, but rather by psychological mechanisms. The McGill Illness Narrative Interview, a semi-structured interview, was taken in the context of a public hospital in Buenos Aires, Argentina. For its subsequent analysis, a qualitative analysis was carried out based on the guidelines of the thematic analysis. Five participants were included. It was found that the patients had a journey through the extensive health system, characterized by the use of different types of therapies: biomedicine, traditional medicine, religious medicine and self-treatment. Alternative medicine practices were not identified. The search for help represents a long process, with

characteristics that are common to patients from over the world, but also with differences, regarding local characteristics of the health system and the belief system of the participants.

Keywords

Dissociative seizures - PNES - Help-seeking - Behavior

BIBLIOGRAFÍA

- Baslet, G., Bajestan, S.N., Aybek, S., Modirrousta, M., JP, D.C.P., Cavanaugh, A., Perez, D.L., Lazarow, S.S., Raynor, G., Voon, V., Ducharme, S., & LaFrance Jr., W.C. (2021) Evidence-Based Practice for the Clinical Assessment of Psychogenic Nonepileptic Seizures: A Report From the American Neuropsychiatric Association Committee on Research. *J Neuropsychiatry Clin Neurosci*, 33(1), 27-42. <https://doi.org/10.1176/appi.neuropsych.19120354>
- Braun, V., & Clarke, V. (2006) Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2), 77-101. <https://doi.org/10.1191/1478088706qp063oa>
- Epstein, S.A., Maurer, C.W., LaFaver, K., Ameli, R., Sinclair, S., & Hallett, M. (2016) Insights into Chronic Functional Movement Disorders: The Value of Qualitative Psychiatric Interviews. *Psychosomatics*, 57(6), 566-575. <https://doi.org/10.1016/j.psym.2016.04.005>
- Groleau, D., Young, A., & Kirmayer, L.J. (2006) The McGill Illness Narrative Interview (MINI): An Interview Schedule to Elicit Meanings and Modes of Reasoning Related to Illness Experience. *Transcultural Psychiatry*, 43(4), 671-691. <https://doi.org/10.1177/1363461506070796>
- Kanemoto, K., LaFrance, W.C.J., Duncan, R., Gigineishvili, D., Park, S.-P., Tadokoro, Y., Ikeda, H., Paul, R., Zhou, D., Taniguchi, G., Kerr, M., Oshima, T., Jin, K., & Reuber, M. (2017) PNES around the world: Where we are now and how we can close the diagnosis and treatment gaps—an ILAE PNES Task Force report. *Epilepsia Open*, 2(3), 307-316. <https://doi.org/10.1002/epi4.12060>
- Lanzillotti, A.I., Sarudiansky, M., Lombardi, N.R., Korman, G.P., & L, D.A. (2021) Updated Review on the Diagnosis and Primary Management of Psychogenic Nonepileptic Seizure Disorders. *Neuropsychiatr Dis Treat*, 17, 1825-1838. <https://doi.org/10.2147/NDT.S286710>
- Molina, A.I. (1997) Ethnomedicine and world-view: A comparative analysis of the incorporation and rejection of contraceptive methods among Argentine women. *Anthropology & Medicine*, 4(2), 145-158. <https://doi.org/10.1080/13648470.1997.9964530>
- Molina, A.I. (1999) La selección y combinación de medicinas entre la población campesina de San Juan (Argentina). *Scripta Ethnologica*, XXI, 7-33.

- Molina, A. I. (2005) Clasificación de medicinas. Análisis de una propuesta conceptual. *Scrip*, 25, 111-147.
- Nunez-Wallace, K.R., Murphrey, D.K., Proto, D., Collins, R.L., Franks, R., Chachere, D.M. 2nd, & Chen, D.K. (2015) Health resource utilization among US veterans with psychogenic nonepileptic seizures: A comparison before and after video-EEG monitoring. *Epilepsy Research*, 114, 114-121. <https://doi.org/10.1016/j.eplepsyres.2015.05.002>
- Pico, M.M.A., Sarudiansky, M., Lanzillotti, A.I., Tenreyro, C., Paolasini, G.V., D'Alessio, L., & Korman, G.P. (2020a) La experiencia de pacientes con crisis no epilépticas psicogénas: marcos interpretativos y de acción. *Psicología USP*, 31, 1-17. <https://doi.org/10.1590/0103-6564e190159>
- Pretorius, C., & Sparrow, M. (2015) Life after being diagnosed with psychogenic non-epileptic seizures (PNES): A South African perspective. *Seizure*, 30, 32-41. <https://doi.org/10.1016/j.seizure.2015.05.008>
- Seneviratne, U., Low, Z.M., Low, Z.X., Hehir, A., Paramaswaran, S., Foong, M., Ma, H., & Phan, T.G. (2019) Medical health care utilization cost of patients presenting with psychogenic nonepileptic seizures. *Epilepsia*, 60(2), 349-357. <https://doi.org/10.1111/epi.14625>